GHS

Printing date 04.04.2013

Revision: 29.03.2013

· 1.1 Product ide	ntifier
· Trade name: <u>M</u>	ODEL 3441 37/40mm OC Powder Barricade Projectile
	: <i>Model 3441</i> entified uses of the substance or mixture and uses advised against ant information available.
· Application of	the substance / the preparation Explosive product.
• Manufacturer/S Combined Syste 388 Kinsman Re Jamestown, PA Phone: (724) 93 • 1.4 Emergency ChemTel Inc.	telephone number:
(800)255-3924,	+1 (813)248-0585
Hazards ide	ntification
Classification a The following l regulation: H360	
Classification a The following I regulation: H360 The following ha regulation: H360	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL
Classification a The following I regulation: H360 The following ha regulation: H360 H360: I	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL D.
Classification a The following I regulation: H360 The following ha regulation: H360 H360: I	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL D. May damage fertility or the unborn child
Classification a The following I regulation: H360 The following ha regulation: H360 H360: I GHS01 Expl. 1.4	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL D. May damage fertility or the unborn child exploding bomb
Classification a The following I regulation: H360 The following ha regulation: H360 H360: I GHS01 Expl. 1.4	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL D. May damage fertility or the unborn child exploding bomb H204 Fire or projection hazard.
Classification a The following I regulation: H360 The following ha regulation: H360 H360: I Composition: H360 H360 H360: I Composition: H360 H360 H360 H360 H360 H360 H360 H360	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL D. May damage fertility or the unborn child exploding bomb H204 Fire or projection hazard.
Classification a The following h regulation: H360 The following ha regulation: H360 H360: M Expl. 1.4 CHS08 Repr. 1B CHS07 Acute Tox. 4	According to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GH DDf, H412. Azard statements are applicable only to OSHA (USA) regulations and not the specific CL May damage fertility or the unborn child exploding bomb H204 Fire or projection hazard. health hazard H360Df May damage the unborn child. Suspected of damaging fertility. H312 Harmful in contact with skin. H332 Harmful if inhaled.

GHS

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: M	ODEL 3441 37/40mm OC Powder Barricade Projectile
	(Contd. of page 1)
Classificati	on according to Directive 67/548/EEC or Directive 1999/45/EC
🗙 Xn; Har	mful
R20/21/22-4	10-48: Harmful by inhalation, in contact with skin and if swallowed. Limited evidence of a carcinogenic effect. Danger of serious damage to health by prolonged exposure.
E; Explo	osive
R3:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R33:	Danger of cumulative effects.
The product	a concerning particular hazards for human and environment: t has to be labelled due to the calculation procedure of the "General Classification guideline for s of the EU" in the latest valid version. on system:
	ication is according to the latest editions of the EU-lists, and extended by company and
	ta. ication is in accordance with the latest editions of international substances lists, and is ed by information from technical literature and by information provided by the company.
· 2.2 Label el	
	ccording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. cograms
GHS01 GH	SO7 GHS08
· Signal wore	d Danger
· Hazard-det	ermining components of labelling:
glycerol trini	
Oleoresin C	
dibutyl phtha diphenylami	
· Hazard stat	ements
H204	Fire or projection hazard.
	Harmful in contact with skin or if inhaled.
H360Df H412	May damage the unborn child. Suspected of damaging fertility. Harmful to aquatic life with long lasting effects.
	ary statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P250	Do not subject to grinding/shock/friction.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P281 P373	Use personal protective equipment as required.
	DO NOT fight fire when fire reaches explosives. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P372	Explosion risk in case of fire.
	(Contd. on page 3)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile (Contd. of page 2) P302+P352 IF ON SKIN: Wash with plenty of soap and water. - Additional information: Can become highly flammable in use. Restricted to professional users. Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects F - Dangerously reactive material · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 3· HMIS-ratings (scale 0 - 4) HEALTH ³ Health = 3 ² Fire = 2 FIRE Reactivity = 3 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. Explosive Product Notice PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers. WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use. **3** Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

Dangerous components:		d. of pag
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	>50
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular E R1-3 Unst. Expl., H200	
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	<i>glycerol trinitrate</i> T + R26/27/28; ₩ E R3; ½ N R51/53 R33 Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225	
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum	<10
CAS: 68611-44-9 EINECS: 271-893-4	silica dimethyl silyate	<10
CAS: 7440-50-8 EINECS: 231-159-6	copper	<10
CAS: 10022-31-8 EINECS: 233-020-5 Index number: 056-002-00-7	barium nitrate Xn R20/22 Acute Tox. 4, H302; Acute Tox. 4, H332	<1,0
CAS: 12403-82-6 EINECS: 235-642-2	dihydroxy[styphnato(2-)]dilead / lead styphnate	<1,0
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 O X. Sol. 2, H272	<1,0
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine 😼 T R23/24/25; 🔀 N R50/53	<1,(
CAS: 1345-04-6 EINECS: 215-713-4	antimony sulphide	<1,(

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

		(Contd. of page 4)
CAS: 7440-66-6	zinc powder -zinc dust (pyrophoric)	<1,0%
EINECS: 231-175-3	👸 F R15-17; 🌄 N R50/53	
Index number: 030-001-00-	1 🔶 Pyr. Sol. 1, H250; Water-react. 1, H260 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 84-74-2	dibutyl phthalate	<1,0%
EINECS: 201-557-4	😹 T Repr. Cat. 2, 3 R61; 🗙 Xn R62; 🏪 N R50	
Index number: 607-318-00-	 A Repr. 1B, H360Df Aquatic Acute 1, H400 	
SVHC		
84-74-2 dibutyl phthalate		

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Remove breathing equipment only after contaminated clothing have been completely removed. • After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately rinse with water.

Clean with water and soap.

Do not pull solidified product off the skin.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Unlikely route of exposure. Do not induce vomiting; call for medical help immediately.

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Coughing
- Nausea
- Breathing difficulty

Dizziness

Allergic reactions

Hazards

Danger of impaired breathing. Danger of disturbed cardiac rhythm.

(Contd. on page 6)

Printing date 04.04.2013

Revision: 29.03.2013

(Contd. of page 5)

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

\cdot 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- For safety reasons unsuitable extinguishing agents: None.
- \cdot 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information

Eliminate all ignition sources if safe to do so.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Isolate area and prevent access. Wear protective clothing. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Keep away from ignition sources. . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. - 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 7)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact. Keep away from heat and direct sunlight. Information about fire - and explosion protection:

Prevent impact and friction.

Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles.
Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances. Do not store together with oxidizing and acidic materials.
Further information about storage conditions: Store in dry conditions. Store receptacle in a well ventilated area. Protect from heat and direct sunlight.

·7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients v	· Ingredients with limit values that require monitoring at the workplace:	
1309-48-4 ma	agnesium oxide	
PEL (USA)	15* mg/m³ fume; *total particulate	
TLV (USA)	10* mg/m³ *as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume	
EV (Canada)	10 mg/m³ inhalable	
	(Contd. on p	age 8)

(Contd. of page 6)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

		(Contd. of page 7)
7439-92-1 lea	1	
PEL (USA)	0,05* mg/m ³	
	*see 29 CFR 1910,1025	
REL (USA)	0,05 mg/m ³	
TINGON	excluding lead arsenate; See Pocket Guide App. C	
TLV (USA)	0,05* mg/m³ *and inorganic compounds, as Pb; BEI	
EL (Canada)		
LL (Canada)	R; elemental: IARC 2B, inorganic comp.: IARC 2A	
EV (Canada)		
	element, inorg. +org. compds., lead chromate as Pb	
55-63-0 glyce	erol trinitrate	
PEL (USA)	Short-term value: C 2 mg/m³, C 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m³	
NEL (USA)	Skin	
TLV (USA)	0,46 mg/m³, 0,05 ppm	
()	Skin	
EL (Canada)	0,05 ppm	
	Skin	
EV (Canada)	0,5 mg/m³, 0,05 ppm	
84-74-2 dibu	Skin	
PEL (USA)	5 mg/m ³	
. ,	-	
REL (USA)	5 mg/m ³	
TLV (USA)	5 mg/m ³	
EL (Canada)	5 mg/m³ R	
EV (Canada)		
122-39-4 dip	-	
REL (USA)	10 mg/m ³	
TLV (USA)	10 mg/m ³	
EL (Canada)	-	
EV (Canada)	-	
	rther relevant information available.	
	inter relevant information available.	
	formation: The lists valid during the making were used as basis.	
· 8.2 Exposure		
•	otective equipment:	
General prot	ective and hygienic measures:	
	om foodstuffs, beverages and feed.	
wash hands	before breaks and at the end of work.	(Contd. on page 9
		(Conta. on page 9

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

(Contd. of page 8)

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection:



Respiratory protection required.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Contact lenses should not be worn.



Safety glasses

· Limitation and supervision of exposure into the environment

- No further relevant information available.
- · Risk management measures

Organizational measures should be in place for all activities involving this product. See Section 7 for additional information.

9 Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Appearance: Form: Powder Colour: Grey

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

	(Contd. of page
Odour:	Pungent, makes eyes water
Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other source of ignition.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient (n-octanol/w	ater): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• 9.2 Other information	No further relevant information available.

10 Stability and reactivity

10.1 Reactivity

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions
- Danger of explosion.
- Reacts with strong acids.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 11)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

(Contd. of page 10)

 10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products: Hydrocarbons Leadoxide vapour Bariumoxide vapour Nitrogen oxides Carbon monoxide and carbon dioxide Irritant gases/vapours Poisonous gases/vapours

• 11.1 Information on toxicological effects • Acute toxicity: • LD/LC50 values relevant for classification: 55-63-0 glycerol trinitrate Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat) Dermal LD50 29 mg/kg (rat) 280 mg/kg (rat) 280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 0ral LD50 120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
55-63-0 glycerol trinitrate Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat) 105 mg/kg (rat) Dermal LD50 29 mg/kg (rat) 280 mg/kg (rat) 280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat) 105 mg/kg (rat) Dermal LD50 29 mg/kg (rat) 280 mg/kg (rabbit) 280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin:		
Dermal 105 mg/kg (rat) Dermal LD50 29 mg/kg (rat) 280 mg/kg (rabbit) 280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) Primary irritant effect: on the skin: Irritant to skin and mucous membranes.		
Dermal LD50 29 mg/kg (rat) 280 mg/kg (rabbit) 280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) Primary irritant effect: on the skin: Irritant to skin and mucous membranes.		
280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
280 mg/kg (rabbit) 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
OralLD5047,2 mg/kg (mouse)3000 mg/kg (rat)DermalLD50512 mg/kg (mouse)122-39-4 diphenylamineOralLD501120 mg/kg (rat)Primary irritant effect:on the skin: Irritant to skin and mucous membranes.		
3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
Dermal LD50 512 mg/kg (mouse) 122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
122-39-4 diphenylamine Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
Oral LD50 1120 mg/kg (rat) • Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
• Primary irritant effect: • on the skin: Irritant to skin and mucous membranes.		
• on the skin: Irritant to skin and mucous membranes.		
• on the skin: Irritant to skin and mucous membranes.		
• on the eye: <i>Irritating effect.</i> • Sensitization:		
Sensitization: Sensitizing effect through inhalation is possible by proto	nged exposure	
Sensitizing effect by skin contact is possible by prolong		
• Additional toxicological information:		
The product shows the following dangers accordir		
Classification Guidelines for Preparations as issued in t	he latest version:	
Harmful Denger through elvin edgerntion		
Danger through skin adsorption. • Sensitisation: Sensitization possible by inhalation and		
· Repeated dose toxicity:	for dermal contact	
Repeated exposures may result in skin and/or respirate	or dermal contact.	
May cause damage to organs through prolonged or rep		

(Contd. on page 12)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

(Contd. of page 11)

12 Ecological information

· 12.1 Toxicity

• Aquatic toxicity: The product contains materials that are harmful to the environment.

- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential May be accumulated in organism
- **12.4 Mobility in soil** *No further relevant information available.*
- · Additional ecological information:

· General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0303	
 · 14.2 UN proper shipping name · DOT, IMDG, IATA · ADR 	Ammunition, Smoke 0303, Ammunition, Smoke	
		(Contd. on page 1

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

	(Contd.	of page 1
 14.3 Transport hazard class(es) 		
· DOT, ADR, IMDG, IATA		
1.4		
Class	1.4	
·Label	1.4G	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	11	
14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· EMS Number:	F-A, S-Q	
· 14.7 Transport in bulk according to Ann	iex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:	DOT PHMSA Explosives EX <u>9802115</u>	
· UN "Model Regulation":	UN0303, 0303, 1.4G, II	

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

55-63-0 glycerol trinitrate

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

84-74-2 dibutyl phthalate

· Chemicals known to cause reproductive toxicity for males:

84-74-2 dibutyl phthalate

(Contd. on page 14)

Printing date 04.04.2013

Revision: 29.03.2013

	(Contd. of page
Chemicals known to cause developmental toxicity:	(conta: of page
Present in trace quantities: Lead, dibutyl phthalate.	
84-74-2 dibutyl phthalate	
7439-92-1 lead	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
1309-48-4 magnesium oxide	/
122-39-4 diphenylamine	/
NIOSH-Ca (National Institute for Occupational Safety and Healt	h)
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
122-39-4 diphenylamine	
Canadian Ingredient Disclosure list (limit 1%)	
1309-48-4 magnesium oxide	
7440-50-8 copper	
National regulations:	
Other regulations, limitations and prohibitive regulations	
Substances of very high concern (SVHC) according to REACH,	Article 57

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H200 Unstable explosives.
- H225 Highly flammable liquid and vapour.
- Catches fire spontaneously if exposed to air. H250
- In contact with water releases flammable gases which may ignite spontaneously. H260
- May intensify fire; oxidiser. H272

(Contd. on page 15)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile		
	(Contd. of page 14)	
H300	Fatal if swallowed.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H360Df	May damage the unborn child. Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
R1	Explosive when dry.	
R15	Contact with water liberates extremely flammable gases.	
R17	Spontaneously flammable in air.	
R20/22	Harmful by inhalation and if swallowed.	
R21	Harmful in contact with skin.	
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.	
R23/25	Toxic by inhalation and if swallowed.	
R25	Toxic if swallowed.	
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed.	
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.	
R33	Danger of cumulative effects.	
R36/37/38	Irritating to eyes, respiratory system and skin.	
R40	Limited evidence of a carcinogenic effect.	
R48	Danger of serious damage to health by prolonged exposure.	
R50	Very toxic to aquatic organisms.	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
R61	May cause harm to the unborn child.	
R62	Possible risk of impaired fertility.	
R8	Contact with combustible material may cause fire.	
· Abbreviat	ions and acronyms:	
	d européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the	
International	Carriage of Dangerous Goods by Road)	
	ational Maritime Code for Dangerous Goods	
	partment of Transportation	
	ational Air Transport Association Iy Harmonized System of Classification and Labelling of Chemicals	
	rican Conference of Governmental Industrial Hygienists	
	nal Fire Protection Association (USA)	
	dous Materials Identification System (USA)	
	rkplace Hazardous Materials Information System (Canada) ed No-Effect Level (REACH)	
	cted No-Effect Concentration (REACH)	
	(Contd. on page 16)	

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3441 37/40mm OC Powder Barricade Projectile

(Contd. of page 15)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com