



Be Right™

SAFETY DATA SHEET

Issue Date 28-Sep-2017

Revision Date 12-Oct-2017

Version 1.1

Page 1 / 13

1. IDENTIFICATION

Product identifier

Product Name Potassium Chloride Filling Solution

Other means of identification

Product Code(s) 5194100

Safety data sheet number M00994

Recommended use of the chemical and restrictions on use

Recommended Use Electrode storage solution.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland,
CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 2 / 13

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Silver chloride	7783-90-6	1 - 5%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If symptoms persist, call a physician.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

Substance does not burn.

Specific hazards arising from the chemical

None reported.

Hazardous combustion products

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate affected area. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Releases of this material may contaminate the environment. Stop spilled material from being released to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Silver chloride 1 - 5%	NDF	TWA: 0.01 mg/m ³ STEL: 0.03 mg/m ³	NDF	NDF	NDF

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 4 / 13

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance aqueous solution **Color** colorless

Odor None **Odor threshold** No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	5.5 - 8.0	
Melting point/freezing point	-6 °C / 21 °F	
Boiling point / boiling range	106 °C / 223 °F	
Evaporation rate	1.08 (water = 1)	Estimation based on theoretical calculation
Vapor pressure	21.452 mm Hg / 2.86 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.62 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.12	
Partition Coefficient (n-octanol/water)	Not applicable	

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 5 / 13

Soil Organic Carbon-Water Partition Coefficient Not applicable
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity No data available
Kinematic viscosity No data available

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate No data available

Aluminum Corrosion Rate No data available

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties Not classified as flammable according to GHS criteria.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Method No information available

Oxidizing properties Not classified according to GHS criteria.

Reactivity propeties Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 6 / 13

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

None known based on information supplied.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit

No data available

Lower explosion limit

No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	None known.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	No information available.

Product Acute Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 7 / 13

Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

No data available
No data available
No data available

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	8,667.00 mg/kg
----------------------	----------------

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Silver chloride (1 - 5%) CAS#: 7783-90-6	Mouse LD ₅₀	> 10000 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Silver chloride (1 - 5%) CAS#: 7783-90-6	Guinea pig LD ₅₀	> 5000 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 8 / 13

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Respiratory Sensitization Exposure Route

If available, see data below.

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Silver chloride	7783-90-6	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	Does not apply

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

If available, see data below

Product Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

If available, see data below

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 9 / 13

Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

If available, see data below
If available, see data below
If available, see data below
If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

No data available
No data available
No data available
No data available
No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

If available, see data below
If available, see data below
If available, see data below
If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

Fish
Crustacea
Algae

No data available
No data available
No data available

Ingredient Ecological Data

Aquatic toxicity

Fish
Crustacea
Algae

If available, see ingredient data below
If available, see ingredient data below
No data available

Other Information

**Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL):
Environmentally Hazardous Substances Categorizations**

Chemical name	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
Silver chloride (1 - 5%) CAS#: 7783-90-6	Inorganics	Yes	No	Yes

Persistence and degradability

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical name	Test method	Biodegradation	Exposure time	Results
Potassium chloride (30 - 40%) CAS#: 7447-40-7	Inorganic Salt	None reported	None reported	Not readily biodegradable

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 10 / 13

Bioaccumulation

Product Bioaccumulation Data No data available.

Partition Coefficient (n-octanol/water) Not applicable

Ingredient Bioaccumulation Data No data available

Mobility

Product Information

Soil Organic Carbon-Water Partition Coefficient Not applicable

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
Silver chloride CAS#: 7783-90-6	Insoluble	< 0.1 mg/L	25 °C	77 °F

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Special instructions for disposal Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

U.S. DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 11 / 13

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Silver chloride (CAS #: 7783-90-6)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Silver chloride 7783-90-6	-	X	-	-

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 12 / 13

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silver chloride 7783-90-6	X	-	X

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Silver chloride 7783-90-6	Declarable Substance (LR)	0.0 %

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 0	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value

Product Code(s) 5194100
Issue Date 28-Sep-2017
Version 1.1

Product Name Potassium Chloride Filling Solution
Revision Date 12-Oct-2017
Page 13 / 13

X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 28-Sep-2017

Revision Date 12-Oct-2017

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet