GHS

Printing date 04.04.2013

Revision: 29.03.2013

1 Identification of the substance/mixture and of the company/undertaking	
· 1.1 Product identifier	
 Trade name: MODEL 3440 37MM CTG OC Blast Dispersion 	
 Article number: Model 3440 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 	
· Application of the substance / the preparation Explosive product.	
• 1.3 Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: Combined Systems, Inc. 388 Kinsman Rd. Jamestown, PA 16134 Phone: (724) 932-2177	
· 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585	
2 Hazards identification	
Classification according to Regulation (EC) No 1272/2008 GHS01 exploding bomb Expl. 1.4 H204 Fire or projection hazard. GHS07	-
Acute Tox. 4 H302 Harmful if swallowed.	
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful R22: Harmful if swallowed.	
E; Explosive	
R3: Extreme risk of explosion by shock, friction, fire or other sources of ignition. Information concerning particular hazards for human and environment:	
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system:	
The classification is according to the latest editions of the EU-lists, and extended by company an literature data.	d
The classification is in accordance with the latest editions of international substances lists, and supplemented by information from technical literature and by information provided by the company. (Contd. on page	

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion (Contd. of page 1) 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS01 GHS07 Signal word Warning · Hazard-determining components of labelling: Oleoresin Capsicum Hazard statements H204 Fire or projection hazard. H302 Harmful if swallowed. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P250 Do not subject to grinding/shock/friction. Wear protective gloves/protective clothing/eye protection/face protection. P280 Wash thoroughly after handling. P264 DO NOT fight fire when fire reaches explosives. P373 P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P372 Explosion risk in case of fire. - Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects F - Dangerously reactive material · NFPA ratings (scale 0 - 4) Health = 2Fire = 0 Reactivity = 4 · HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 • Fire = 0 Reactivity = 4 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. (Contd. on page 3)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 2)

· vPvB: Not applicable. · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	>50%
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum	<10%
CAS: 68611-44-9 EINECS: 271-893-4	silica dimethyl silyate	<10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 � Ox. Sol. 2, H272	<10%
CAS: 12403-82-6 EINECS: 235-642-2	dihydroxy[styphnato(2-)]dilead / lead styphnate I R23/25; X R40-48-62; I E R3; N R50/53 R33	<1,0%
· Additional information: For	r the wording of the listed risk phrases refer to section 16.	

4 First aid measures

4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 4)

GHS

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 3) Remove breathing equipment only after contaminated clothing have been completely removed. After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately rinse with water. Clean with water and soap. Do not pull solidified product off the skin. If skin irritation continues, consult a doctor. After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Do not induce vomiting; call for medical help immediately. Call for a doctor immediately. 4.2 Most important symptoms and effects, both acute and delayed Coughing Nausea Breathing difficulty Dizziness Allergic reactions Hazards Danger of impaired breathing. Danger of disturbed cardiac rhythm. • 4.3 Indication of any immediate medical attention and special treatment needed Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. 5 Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

• For safety reasons unsuitable extinguishing agents: None.

- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

- Additional information

Eliminate all ignition sources if safe to do so. Evacuate area and fight fire from from the upwind side.

(Contd. on page 5)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 4)

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Isolate area and prevent access. Wear protective clothing. Remove persons from danger area. Ensure adequate ventilation Protect from heat. Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact. Keep away from heat and direct sunlight. Information about fire - and explosion protection: Prevent impact and friction. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire. 	
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles. Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances. Do not store together with oxidizing and acidic materials. Further information about storage conditions: Store in dry conditions. 	
, ,	(Contd. on page 6)

Printing date 04.04.2013

Revision: 29.03.2013

(Contd. of page 5)

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

Store receptacle in a well ventilated area. Protect from heat and direct sunlight. • 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

 1309-48-4 magnesium oxide		
PEL (USA)	15* mg/m³ fume; *total particulate	
TLV (USA)	10* mg/m³ *as inhalable fraction	
EL (Canada)	15* mg/m ³ fume; *total particulate 10* mg/m ³ *as inhalable fraction Short-term value: 10** mg/m ³ Long-term value: 10* 3** mg/m ³ *inhalable fume;**respirable dust and fume 10 mg/m ³ inhalable	
EV (Canada)	10 mg/m³ inhalable	

· DNELs No further relevant information available.

· PNECs No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:



Respiratory protection required.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 7)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 6) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Contact lenses should not be worn.



Safety glasses

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

Organizational measures should be in place for all activities involving this product.

See Section 7 for additional information.

9.1 Information on basic physical a	and chemical properties	
General Information Appearance:		
Form:	Powder	
Colour:	Grey	
Odour:	Pungent, makes eyes water	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	

Printing date 04.04.2013

Poisonous gases/vapours

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

	(Contd. of pag
Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other sourc of ignition.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
9.2 Other information	No further relevant information available.

10 Stability and reactivity · 10.1 Reactivity 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. 10.3 Possibility of hazardous reactions Danger of explosion. Reacts with strong acids. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. 10.6 Hazardous decomposition products: Hydrocarbons Leadoxide vapour Nitrogen oxides Carbon monoxide and carbon dioxide Irritant gases/vapours

(Contd. on page 9)

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 8)

11 Toxicological information 11.1 Information on toxicological effects · Acute toxicity: · LD/LC50 values relevant for classification: 8023-77-6 Oleoresin Capsicum Oral LD50 47,2 mg/kg (mouse) 3000 mg/kg (rat) Dermal LD50 512 mg/kg (mouse) 7757-79-1 potassium nitrate LD50 3750 mg/kg (rat) Oral · Primary irritant effect: · on the skin: Irritant to skin and mucous membranes. • on the eye: Irritating effect. · Sensitization: Sensitizing effect through inhalation is possible by prolonged exposure. Sensitizing effect by skin contact is possible by prolonged exposure. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Danger through skin adsorption. Sensitisation: Sensitization possible by inhalation and/or dermal contact. · Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity. May cause damage to organs through prolonged or repeated exposure . **12 Ecological information** · 12.1 Toxicity • Aquatic toxicity: The product contains materials that are harmful to the environment. • 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain. · 12.3 Bioaccumulative potential May be accumulated in organism • 12.4 Mobility in soil No further relevant information available. Additional ecological information: · General notes: This statement was deduced from the properties of the single components. The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 10)

GHS

Printing date 04.04.2013

Revision: 29.03.2013

(Contd. of page 9)

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0303	
 14.2 UN proper shipping name DOT, IMDG, IATA ADR 	AMMUNITION, SMOKE 0303 AMMUNITION, SMOKE	
 14.3 Transport hazard class(es) 		
· DOT, ADR, IMDG, IATA		
1.4		
· Class	1.4	
·Label	1.4G	
· 14.4 Packing group · DOT, ADR, IMDG, IATA	11	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· EMS Number:	F-A,S-Q	
· 14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	UN0303, 0303, 1.4G, II	

(Contd. on page 11)

Printing date 04.04.2013

Γ

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 10)

15.1 Safety, health and environmental regulations/legislation specific for United States (USA) SARA	r the substance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
Present in trace quantities: Lead, CAS <u>7439-92-1.</u>	
7439-92-1 lead	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
1309-48-4 magnesium oxide	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
1309-48-4 magnesium oxide	

Printing date 04.04.2013

Revision: 29.03.2013

Trade name: MODEL 3440 37MM CTG OC Blast Dispersion

(Contd. of page 11)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other i	nformation
	mation is based on our present knowledge. However, this shall not constitute a guarantee for any product features and shall not establish a legally valid contractual relationship.
Relevant	t phrases
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
R21	Harmful in contact with skin.
R23/25	Toxic by inhalation and if swallowed.
R25	Toxic if swallowed.
R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R33	Danger of cumulative effects.
R30/37/3	8 Irritating to eyes, respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R48	Danger of serious damage to health by prolonged exposure.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.
R8	Contact with combustible material may cause fire.
ADR: Acco	Ations and acronyms:
Internationa	bord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
IMDG: Inter	al Carriage of Dangerous Goods by Road)
DOT: US D	rnational Maritime Code for Dangerous Goods
IATA: Inter	repartment of Transportation
GHS: Globa	national Air Transport Association
ACGIH: Am	ally Harmonized System of Classification and Labelling of Chemicals
NFPA: Nati	herican Conference of Governmental Industrial Hygienists
HMIS: Haza	ional Fire Protection Association (USA)
WHMIS: W	ardous Materials Identification System (USA)
DNEL: Deri	orkplace Hazardous Materials Information System (Canada)
PNEC: Pre	ved No-Effect Level (REACH)
LC50: Leth	dicted No-Effect Concentration (REACH)
LD50: Leth	al concentration, 50 percent
Sources	al dose, 50 percent
SDS Prep ChemTel	
1305 Nor Tampa, F	nno. th Florida Avenue Florida USA 33602-2902 North America 1-888-255-3924 Intl. +01 813-248-0573
	www.chemtelinc.com